



## TECHNICAL GUIDE



#### A PREVENTATIVE AND CURATIVE FUNGICIDE FOR FLOWERS

A systemic fungicide with foliar uses for the preventative and curative actions on diseases particularly on flowers

Declared Active Igredient

Dodemorph Acetate 400 g/L

### **Monument®**

MONUMENT® 400 EC is a fungicide containing fungicidal molecule – Dodemorph Acetate (morpholine fungicide group). Dodemorph Acetate is a synthetic fungicide, giving protective and curative properties by inhibiting sterol biosynthesis in membranes of fungi (Mode of Action).

Dodemorph Acetate prevents diseases caused by a wide spectrum of fungi. Especially, MONUMENT® 400 EC contributes to enhanced excellent systemic controls with preventative and curative actions on a wide range of diseases particularly powdery mildew, leaf spot and rust on roses, carnations and hypericum.

#### ENHANCED EFFECTIVE

MONUMENT® 400 EC contributes to enhanced excellent systemic control with preventative and curative actions particularly on powdery mildew on flowers.

#### LONG LASTING PROTECTION


MONUMENT® 400 EC has great systemic properties and thus the active ingredients penetrate into the plant and are distributed continuously and evenly throughout the leaf tissue, achieving long lasting protection on crops. Once it has penetrated the plant tissue, MONUMENT® 400 EC cannot be washed off by rain.

#### COST EFFECTIVENESS

MONUMENT® 400 EC offers a highly cost effective protection of crops from powdery mildew, compared with other selective powdery mildew fungicides.

## Typically Controlled Various Diseases on Flowers







Carnation Rust



# APPLICATION INSTRUCTIONS

Crop	Pest	Rate	Method of Application
Rose	Powdery mildew	2-2.5L/ha	Apply when weather conditions favour disease development or at onset of disease at an interval of 10-14 days. To prevent possible plant damage, do not spray MONUMENT® 400 EC under hot, sunny and low humidity conditions. In order to achieve good disease resistance management, after 3 sprays with MONUMENT® 400 EC change over to a fungicide with a different mode of action.
Carnation	Leaf spot	In 1000L of water	
Hypericum	Rust	(40-50mL/20L water)	



